

# ADA SURFACE PULLS



**PHIX330.512.8**



**PHIX31108**



**PHIX30108**



**PHIX41714**



**PHIX45714**

## FEATURES

INOX PHIX ADA Door Pulls are made from tough, beautiful Stainless Steel and offer a minimum 1-1/2" finger clearance under the grip portion.

All pulls are provided with universal adaptor and M6 set screws as well as clear nylon washer and rubber inserts shall for application with glass doors.

## CODE COMPLIANCE




ANSI A156.6 – J401, J402, J406  
 ANSI A117.1 – ADA for barrier free accessibility  
 C-UBC - California Amended Uniform Builders Code  
 NFPA 80 - National Fire Protection Association  
 NFPA-101 National Fire Protection. - Life Safety

Length	CTC	Tube Dia.	Part Number	Standard Finish
8"	5"	7/8"	<b>PHIX330.512.8</b>	32D Satin Stainless Steel 32 Bright Stainless Steel 19G Graphite Black 26D Satin Chrome PVD4 Satin Brass
8-3/4"	8"	3/4"	<b>PHIX31108</b>	32D Satin Stainless Steel 32 Bright Stainless Steel 19G Graphite Black
8-3/4"	8"	3/4"	<b>PHIX30108</b>	32D Satin Stainless Steel 32 Bright Stainless Steel 19G Graphite Black
8-3/4"	7-1/4"	7/8"	<b>PHIX41714</b>	32D Satin Stainless Steel 32 Bright Stainless Steel 19G Graphite Black
7-3/4"	7-1/4"	7/8"	<b>PHIX45714</b>	32D Satin Stainless Steel 32 Bright Stainless Steel 19G Graphite Black

*For additional finish options not listed, contact Sales Department for MOQ and lead times*

# SURFACE PULLS



## FEATURES

INOXPHIX Door Pulls are crafted with classic, timeless style ideal for biophilic, ADA, and streamlined interior use.

All pulls were designed with a minimum 1-1/2" finger clearance under the grip portion and are provided with a universal adaptor and M6 set screws. Clear nylon washer and rubber inserts are included for glass door application.

## CODE COMPLIANCE



ANSI A156.6 – J401, J402, J406  
 ANSI A117.1 – ADA for barrier free accessibility  
 C-UBC - California Amended Uniform Builders Code  
 NFPA 80 - National Fire Protection Association  
 NFPA-101 National Fire Protection. - Life Safety


Type	Length	CTC	Tube Dia.	Part Number	Standard Finish
U-Shape	6-3/4"	6"	3/4"	<b>PHIX31106</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	8-3/4"	8"	3/4"	<b>PHIX31108</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	10-3/4"	10"	3/4"	<b>PHIX31110</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	12-3/4"	12"	3/4"	<b>PHIX31112</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	16-3/4"	16"	3/4"	<b>PHIX311.16.1675</b>	32D Satin Stainless Steel
	18-3/4"	18"	3/4"	<b>PHIX311.18.1875</b>	32D Satin Stainless Steel
	11"	10"	1"	<b>PHIX31210</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	13"	12"	1"	<b>PHIX31212</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	13-1/4"	12"	1-1/4"	<b>PHIX31312</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	19-1/4"	18"	1-1/4"	<b>PHIX31318</b>	32D Satin Stainless Steel 32 Bright Stainless Steel

For additional finish options not listed, contact Sales Department for MOQ and lead times

# SURFACE PULLS

Type	Length	CTC	Tube Dia.	Part Number	Standard Finish
Ladder Shape	12"	9-1/2"	3/4"	<b>PHIX330.912.12</b>	32D Satin Stainless Steel
	16"	13-1/2"	3/4"	<b>PHIX330.1312.16</b>	32D Satin Stainless Steel
	18"	15-1/2"	3/4"	<b>PHIX330.1512.18</b>	32D Satin Stainless Steel
	16"	13-1/4"	1-1/4"	<b>PHIX333.1325.16</b>	32D Satin Stainless Steel
	18"	15-1/4"	1-1/4"	<b>PHIX333.1525.18</b>	32D Satin Stainless Steel
T-Shape 90°	16"	12"	1"	<b>PHIX33212</b>	32D Satin Stainless Steel
	16"	10"	1-1/4"	<b>PHIX332.10.16</b>	32D Satin Stainless Steel
	18"	10"	1-1/4"	<b>PHIX33310</b>	32D Satin Stainless Steel
	20"	12"	1-1/4"	<b>PHIX33312</b>	32D Satin Stainless Steel
	26"	18"	1-1/4"	<b>PHIX33318</b>	32D Satin Stainless Steel
	36"	33-1/4"	1-1/4"	<b>PHIX333.3325.36</b>	32D Satin Stainless Steel
	48"	45-1/4"	1-1/4"	<b>PHIX333.4525.48</b>	32D Satin Stainless Steel
	56"	48"	1-1/4"	<b>PHIX33348</b>	32D Satin Stainless Steel
	68"	60"	1-1/4"	<b>PHIX33360</b>	32D Satin Stainless Steel
72"	64"	1-1/4"	<b>PHIX33364</b>	32D Satin Stainless Steel	
T-Shape 45°	18"	10"	1-1/4"	<b>PHIX34310</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	20"	12"	1-1/4"	<b>PHIX34312</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	26"	18"	1-1/4"	<b>PHIX34318</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
D-Shape	11"	10"	1"	<b>PHIX32210</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	13"	12"	1"	<b>PHIX32212</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	13-1/4"	12"	1-1/4"	<b>PHIX32312</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
	19-1/4"	18"	1-1/4"	<b>PHIX32318</b>	32D Satin Stainless Steel 32 Bright Stainless Steel
Square Shape	8-3/4"	8"	3/4"	<b>PHIX301.8.875</b>	32D Satin Stainless Steel
	16-3/4"	16"	3/4"	<b>PHIX301.16.1675</b>	32D Satin Stainless Steel
	12-3/4"	12"	1"	<b>PHIX45012</b>	32D Satin Stainless Steel
	18-1/4"	18"	1-1/4"	<b>PHIX303.18.1925</b>	32D Satin Stainless Steel

For additional finish options not listed, contact Sales Department for MOQ and lead times



All Surface Pulls are available as either **Bolt-Thru** consists of 1 single pull + 1 Bolt-Thru fixing pack (function code: BT) or **Back-to-Back** consists of 2 single pulls + 1 Back-to-Back fixing pack (function code: BTB)

