

ANSI/BHMA GRADE 1 Tubular Locksets



RA/SE/SH Trim

GT/GS Trim

LA/SF Trim

RD/SD/GD/HD/CD/LD Deadbolt

CONTENTS

Page 01	Rose and Plate Escutcheons
Page 02	Lever Designs and Finishes
Page 03	TL4 Tubular Latch Set
Page 05	TL7 Magnetic Tubular Latch Set
Page 06	Tubular Latch
Page 08	Privacy Bolt
Page 09	Deadbolts, Rim Cylinders
Page 15	Exploded Diagrams
Page 23	How to Order


Disclaimer: All information in this catalog has been deemed accurate as of the date of printing. We are continuously improving and expanding our line in an effort to offer our clients the finest quality products and services; therefore, Unison Hardware, Inc., reserves the right to alter this information or correct printing errors at any time.

©2022 Unison Hardware, Inc. All Rights Reserved. Issue 2.0


Rose and Plate ESCUTCHEONS




RA Rose




LA Plate
(Tubular Passage, Privacy)




SE Rose




SF Plate
(Tubular Passage, Privacy)




GT Rose




GS Rose




LA Plate
(Tubular Entry)



SH Plate
(Tubular Passage, Privacy)



SF Plate
(Tubular Entry)



Tubular Locksets LEVER DESIGNS AND FINISHES



101 Cologne
(32, 32D, CGY, CDB, C19G, C19)



103 Oslo
(32, 32D, CGY, CDB, C19G, C19)



104 Brussels
(32, 32D, CGY, CDB, C19G, C19)



105 Frankfurt
(32, 32D, 10B, 19G, CGY, CDB, C19G, C19)



106 Copenhagen
(32, 32D, 10B, CGY, CDB, C19G, C19)



107 Stockholm
(32, 32D, CGY, CDB, C19G, C19)



108 Vienna
(PVD4, SP*, CGY, CDB, C19G, C19)



210 Air-stream
(32, 32D, 10B, CGY, CDB, C19G, C19)



211 Breeze
(32, 32D, 10B, CGY, CDB, C19G, C19)



213 Cabernet
(32, 32D, CGY, CDB, C19G, C19)



214 Champagne
(32, 32D, 10B, CGY, CDB, C19G, C19)



217 Horizon
(32, 32D, CGY, CDB, C19G, C19)



221 Aurora
(32, 32D, 10B, 19G, SP*, CGY, CDB, C19G, C19)



223 Phoenix
(32D, SP*, CGY, CDB, C19G, C19)



225 Waterfall
(32, 32D, CGY, CDB, C19G, C19)



226 Summer
(32, 32D, CGY, CDB, C19G, C19)



227 Stratus
(32, 32D, CGY, CDB, C19G, C19)



243 Sunrise
(32, 32D, 10B, 19G, PVD4, CGY, CDB, C19G, C19)



251 Sequoia
(32, 32D, SP*, CGY, CDB, C19G, C19)



276 Plaza
(32, 32D, 19G, PVD4, CGY, CDB, C19G, C19)



300 Napa
(32, 32D, 19G, CGY, CDB, C19G, C19)



311 Crest
(32, 32D, 10B, CGY, CDB, C19G, C19)



319 Hampton
(32, 32D, 19G, CGY, CDB, C19G, C19)



319 Hampton
(32, 32D, 19G, CGY, CDB, C19G, C19)



320 Empire
(32, 32D, 19G, CGY, CDB, C19G, C19)



344 Ecco
(32, 32D, CGY, CDB, C19G, C19)



345 Tokyo
(32, 32D, 10B, 19G, CGY, CDB, C19G, C19)



351 Toronto
(32, 32D, CGY, CDB, C19G, C19)



379 Arctic
(32, 32D, CGY, CDB, C19G, C19)



380 Polaris
(32, 32D, CGY, CDB, C19G, C19)

Lever Designs with "Return To Door" (RTD)*

*Compliant with California Fire Code



102 Munich
(32, 32D, CGY, CDB, C19G, C19)



109 Stuttgart
(32, 32D, CGY, CDB, C19G, C19)



244 Twilight
(32, 32D, CGY, CDB, C19G, C19)



346 Osaka
(32, 32D, CGY, CDB, C19G, C19)

*SP is a two-tone stainless steel finish: satin (32D) finish on lever grip, polished (32) finish on lever neck and roses. 379 Arctic knobs are available for GT/GS small rosettes and BP/MU plates. 380 Polaris knobs are available for RA/SE rosette, LA/SF plates and Entrance Handlesets.

TL4 TUBULAR LATCH


ANSI/BHMA Grade 1




SPECIFICATIONS

Door Thickness	1-3/8" (35mm) to 1-3/4" (44mm) Thick door kits available
Latch Backset	2-3/8" (60mm) standard 2-3/4" (70mm) optional
Hub and Spindle	5/16" (8mm) square
Latch Faceplate	1" x 2-1/4" standard square corner
Leverset Thru-bolts	2EA M4x35mm
Handing	Field reversible latch for passage and privacy function. Specify handing for half passage and passage w/privacy bolt function
Material	Stainless Steel Levers and Escutcheons
Latch Strike	Full lip strike and T-strike with square corners. Radius corner faceplate and strike, or ASA Strike also available. Order separately


FUNCTION




Passage (L461/L471)
Both levers always unlocked.



Privacy (L462/L472)
Push privacy pin from inside to lock door. Unlock latch by turning inside lever or by emergency release from hole on outside rose cover.




Half Dummy Left (DL) or Half Dummy Right (DR)
Left or Right levers are always inactive. Optional working dummies available by specifying "WORKING".



Half Passage (L465/L475)
Outside lever always unlocked; inside dummy rose. Used on pantry/closet without space for inside lever.

**Do NOT use this function on pantry or closet that could lock a person inside.*



Passage with Privacy Bolt- RA,SE,GT,GS
Combination of a passage set with an additional Privacy Bolt ordered separately. Please See Page 8 for Privacy Bolt details.

TL4 TUBULAR LATCH FOR LA/SF


ANSI/BHMA Grade 1



SPECIFICATIONS


Door Thickness	1-3/8" (35mm) to 1-3/4" (44mm) Thick door kits available
Backset	2-3/8" (60mm) standard 2-3/4" (70mm) optional
Center Distance	5-1/2" (140mm)
Handing	Specify handing for all functions. Latchbolt is field reversible
Hub and Spindle	5/16" (8mm) square
Latch Faceplate	1" x 2-1/4" standard square corner
Leverset Thru-bolts	M4x35mm
Deadbolt Thru-bolts	2 EA M5x50mm for Single Cylinder 2 EA M5x70mm for Double Cylinder
Latch Strike	Full lip strike and T-strike with square corners. Radius corner faceplate and strike, or ASA Strike also available. Order separately
Cylinder	Schlage C Keyway 5-pin Cylinder, 2 keys included. Keying service available

FUNCTION




Passage (L461/L471)

Both levers always unlocked.




Privacy (L462/L472)

Push privacy pin from inside to lock door. Unlock latch by turning inside lever or by emergency release from hole on outside rose cover.




Entry w/ Single Cylinder (C463/C473)

Deadbolt is locked or unlocked by key or thumbturn inside. When deadbolt is unlocked, both levers operate latch like a passage set. Deadbolt and latch are not interconnected.




Entry w/ Double Cylinder (C464/C474)

Deadbolt is locked or unlocked by key. When deadbolt is unlocked, both levers operate latch like a passage set. Deadbolt and latch are not interconnected.



Dummy Entry (EDP) (Lower Lever Position)

Both levers are inactive. Dummy cylinder is inactive.



Dummy Pair (DP) (Lower Lever Position)

Both levers are inactive.


TL7 MAGNETIC TUBULAR LATCH



SPECIFICATIONS


Door Thickness	1-3/8" (35mm) to 1-3/4" (44mm) Thick door kits available
Backset	2-3/8" (60mm) 2-3/4" (70mm)
Center Distance	5-1/2" (140mm)
Handing	Latch is field reversible Specify for Half Passage
Lever Spindle	8 x 8mm square
Lever Action	28 degree

FUNCTION



Passage (L761/L771)

Both levers always unlocked.



Privacy (L762/L772)

Push privacy pin from inside to lock door. Unlock latch by turning inside lever or by emergency release from hole on outside rose cover.




Half Passage

Outside lever always unlocked inside, dummy rose only. Door cannot be opened from inside

TUBULAR LOCKSETS


TUBULAR LATCH



TL4 – Commercial Grade
(BHMA/ANSI156.2 Grade 2)

28 Degree Latch Retraction
Backset: 2-3/8" (60mm), 2-3/4" (70mm)
Function: Passage, Privacy
Faceplate: 1"x2-1/4"

Backset	Function	Item No.
2-3/8" (60mm)	Passage	TL461
2-3/8" (60mm)	Privacy	TL462
2-3/4" (70mm)	Passage	TL471
2-3/4" (70mm)	Privacy	TL472



TL7-Magnetic Tubular Latch


28 Degree Latch Retraction
Backset: 2-3/8" (60mm), 2-3/4" (70mm)
Function: Passage, Privacy
Faceplate: 1"x 2-1/4"

Backset	Function	Item No.
2-3/8" (60mm)	Passage	TL761
2-3/8" (60mm)	Privacy	TL762
2-3/4" (70mm)	Passage	TL771
2-3/4" (70mm)	Privacy	TL772

CHANGE LATCH BOLT DIRECTION FOR TL4


TL4 Latch

28 degree retraction latch




Determine door handing for latch and remove INSIDE washer (privacy pin side). Change the latch direction and faceplate (together) 180°.

Note: Be sure to install the latch with faceplate attached to the latch body.




Note: Make sure the center line on the back of the faceplate meets the center seam of the latch case.



Note: Make sure the latch has the Arrow facing up.

DUMMY LATCH KIT FOR PRE-DRILLED DOORS




Backset	Function	Item No.
2-3/8" (60mm)	Dummy Kit	PPD-RSL46
2-3/4" (70mm)	Dummy Kit	PPD-RSL47

PRIVACY PIN

All privacy latches come with M4 Privacy Pin and Emergency Release Key

M4 Privacy Pin




Emergency Release Key




STRIKES


All latches come with both T-Strike and Full-lip Strike with square corners. Full-lip Strike with Radius Corner and ASA Strike can be ordered separately.




LSR-D1
Full-lip Strike
1-3/4" x 2-1/4"



LSR-D14
Full-lip Strike 1/4" Corner
1-3/4" x 2-1/4"



LSR-T1
T-Strike
1-1/8" x 2-3/4"
w/lip 1-1/2" x 1/2"




LSR-ASA
ASA Strike (ANSI Standard)
1-1/4" x 4-7/8"

LATCH BRACKET/ STABILIZER

For 1-3/8" and 1-3/4" Door Thickness

TL4 Latch Bracket (For RA/SE/SH/LA/SF)
BRIX40F & BRIX40M



PRE-ROSE LEVER DESIGNS

Certain lever designs have non-release rose covers; additional special Allen wrench and hexagon bolts are provided. Designs include: 106 Copenhagen, 214 Champagne, 243 Sunrise, 251 Sequoia, 344 Ecco, 379 Arctic, and 380 Polaris

Ways to install leverset with non-release rose cover



Use allen wrench in between rose cover and under-construction.

Use allen wrench to go through rose cover center cut out

Use a phillips screwdriver to go through rose cover center cut out

* Keep the protective film on the lever while mounting the fixings

PRIVACY BOLT

ANSI/BHMA Grade 1



SPECIFICATIONS

Door Thickness	1-3/8" (35mm) to 1-3/4" (44mm) Thick Door Kits available
Backset	2-3/8" (60mm) standard 2-3/4" (70mm) optional
Privacy Bolt	1/2" (12.7mm) throw
Bolt Spindle	3/16" (5mm) square



GT Rose

T-Turn Side




GT Rose

Release only



GT Rose

Release w/Indicator



GS Rose

T-Turn Side




GS Rose

Release only



GS Rose

Release w/Indicator




GR Rose

T-Turn Side



GR Rose

Release Side




SR Rose

T-Turn Side



SR Rose

Release Side



FUNCTION



Privacy Deadbolt


Deadbolt locked and unlocked by inside thumbturn or outside emergency release

Description



Item No.

Privacy Bolt with GT Rose, 04 T-Turn, 2-3/8" Backset, with Indicator	GT04PB62W
Privacy Bolt with GT Rose, 04 T-Turn, 2-3/4" Backset, with Indicator	GT04PB72W
Privacy Bolt with GT Rose, 04 T-Turn, 2-3/8" Backset	GT04PB62
Privacy Bolt with GT Rose, 04 T-Turn, 2-3/4" Backset	GT04PB72
Privacy Bolt with GS Rose, 04 T-Turn, 2-3/8" Backset, with Indicator	GS04PB62W
Privacy Bolt with GS Rose, 04 T-Turn, 2-3/4" Backset, with Indicator	GS04PB72W
Privacy Bolt with GS Rose, 04 T-Turn, 2-3/8" Backset	GS04PB62
Privacy Bolt with GS Rose, 04 T-Turn, 2-3/4" Backset	GS04PB72
Privacy Bolt with GR Rose, 04 T-Turn, 2-3/8" Backset	GR04PB62
Privacy Bolt with GR Rose, 04 T-Turn, 2-3/4" Backset	GR04PB72
Privacy Bolt with SR Rose, 04 T-Turn, 2-3/8" Backset	SR04PB62
Privacy Bolt with SR Rose, 04 T-Turn, 2-3/4" Backset	SR04PB72



DEADBOLT WITH ESCUTCHEONS





RD Deadbolt





SD Deadbolt





GD Deadbolt




HD Deadbolt



CD Deadbolt



LD Deadbolt



RD/SD DEADBOLT

ANSI/BHMA Grade 1



RD Series Deadbolt




SD Series Deadbolt

SPECIFICATIONS

Door Thickness	1-3/4" (44mm) standard Thick Door Kits available
Backset	2-3/8" (60mm) standard 2-3/4" (70mm) optional
Cylinder & Keys	Schlage C Keyway Cylinder 5-pin with 2 keys Keying service available
Deadbolt	1" throw with hardened roller pin
Fully concealed fixing	M5 Thru-bolts
Material	Solid Casted Stainless Steel outside and inside escutcheons


FUNCTION



RD110/SD310

Single Cylinder Deadbolt

Key outside or thumbturn inside retracts deadbolt



RD120/SD320

Double Cylinder Deadbolt

Deadbolt operated by key from either side



RD192/SD392

Communicating Deadbolt

Deadbolt operated by thumbturn from inside. Blind rose only on outside

Description	Part Number	Standard Finish Options
Single Cylinder 2-3/8" backset (60mm)	RD110B6	SD310B6 32D Satin Stainless Steel 32 Bright Stainless Steel
Single Cylinder 2-3/4" backset (70mm)	RD110B7	SD310B7 10B Oil Brushed Bronze
Double Cylinder 2-3/8" backset (60mm)	RD120B6	SD320B6 32D Satin Stainless Steel 32 Bright Stainless Steel
Double Cylinder 2-3/4" backset (70mm)	RD120B7	SD320B7 10B Oil Brushed Bronze
Communicating 2-3/8" backset (60mm)	RD192B6	SD392B6 32D Satin Stainless Steel 32 Bright Stainless Steel
Communicating 2-3/4" backset (70mm)	RD192B7	SD392B7 10B Oil Brushed Bronze

For additional finish options not listed, contact Sales Department for MOQ and lead times

GD/HD DEADBOLT

ANSI/BHMA Grade 1



GD Series Deadbolt




HD Series Deadbolt


SPECIFICATIONS

Door Thickness	1-3/4" (44mm) standard Thick door kits available
Backset	2-3/8" (60mm) standard 2-3/4" (70mm) optional
Cylinder & Keys	Schlage C Keyway Cylinder 5-pin with 2 keys Keying service available
Deadbolt	1" throw with hardened roller pin
Fully concealed fixing	M5 Thru-bolts
Material	Solid Casted Stainless Steel outside escutcheon and Wrought Stainless Steel inside escutcheon

FUNCTION



GD110/HD310
Single Cylinder Deadbolt
Key outside or thumbturn inside retracts deadbolt



GD120/HD320
Double Cylinder Deadbolt
Deadbolt operated by key from either side



GD192/HD392
Communicating Deadbolt
Deadbolt operated by thumbturn from inside; blind rose only on outside

Description	Part Number	StandaGD Finish Options
Single Cylinder 2-3/8" backset (60mm)	GD110B6	HD310B6 32D Satin Stainless Steel 32 Bright Stainless Steel
Single Cylinder 2-3/4" backset (70mm)	GD110B7	HD310B7 10B Oil Brushed Bronze
Double Cylinder 2-3/8" backset (60mm)	GD120B6	HD320B6 32D Satin Stainless Steel 32 Bright Stainless Steel
Double Cylinder 2-3/4" backset (70mm)	GD120B7	HD320B7 10B Oil Brushed Bronze
Communicating 2-3/8" backset (60mm)	GD192B6	HD392B6 32D Satin Stainless Steel 32 Bright Stainless Steel
Communicating 2-3/4" backset (70mm)	GD192B7	HD392B7 10B Oil Brushed Bronze

For additional finish options not listed, contact Sales Department for MOQ and lead times

CD/LD DEADBOLT

ANSI/BHMA Grade 1



CD Series Deadbolt




LD Series Deadbolt

SPECIFICATIONS

Door Thickness	1-3/4" (44mm) standard Thick Door Kits available
Backset	2-3/8" (60mm) standard 2-3/4" (70mm) optional
Cylinder & Keys	Schlage C Keyway Cylinder 5-pin with 2 keys Keying service available
Deadbolt	1" throw with hardened roller pin
Fully concealed fixing	M5 Thru-bolts
Material	Solid Casted Stainless Steel outside and inside escutcheons


FUNCTION



CD110/LD310

Single Cylinder Deadbolt

Key outside or thumbturn inside retracts deadbolt



CD120/LD320

Double Cylinder Deadbolt

Deadbolt operated by key from either side



CD192/LD392


Communicating Deadbolt

Deadbolt operated by thumbturn from inside; blind rose only on outside

Description	Part Number	Standard Finish Options
Single Cylinder 2-3/8" backset (60mm)	CD110B6	LD310B6 32D Satin Stainless Steel 32 Bright Stainless Steel 10B Oil Brushed Bronze PVD4 Satin Brass
Single Cylinder 2-3/4" backset (70mm)	CD110B7	LD310B7 32D Satin Stainless Steel 32 Bright Stainless Steel 10B Oil Brushed Bronze PVD4 Satin Brass
Double Cylinder 2-3/8" backset (60mm)	CD120B6	LD320B6 32D Satin Stainless Steel 32 Bright Stainless Steel 10B Oil Brushed Bronze PVD4 Satin Brass
Double Cylinder 2-3/4" backset (70mm)	CD120B7	LD320B7 32D Satin Stainless Steel 32 Bright Stainless Steel 10B Oil Brushed Bronze PVD4 Satin Brass
Communicating 2-3/8" backset (60mm)	CD192B6	LD392B6 32D Satin Stainless Steel 32 Bright Stainless Steel 10B Oil Brushed Bronze PVD4 Satin Brass
Communicating 2-3/4" backset (70mm)	CD192B7	LD392B7 32D Satin Stainless Steel 32 Bright Stainless Steel 10B Oil Brushed Bronze PVD4 Satin Brass

For additional finish options not listed, contact Sales Department for MOQ and lead times


DEADBOLT



Backset	BT160 2-3/8" (60mm) BT170 2-3/4" (70mm)
Deadbolt	1" (25mm) throw with anti-drill pin
Function	Suitable for entry door or doors needing to be locked
Faceplate	2-1/4" x 1"
Cylinder & Keys	5-pin Schlage C keyway cylinder with 2 keys


DEADBOLT STRIKE AND FACEPLATE

Deadbolt Faceplate



BT1-FSP

Deadbolt Strike w/reinforcement plate and dustbox



LSR-BT1

DEADBOLT STRIKE AND FACEPLATE


Description	Item No.
Key Cut including Key Blank	SV-KYCT
Keyed Alike (KA)	SV-KA
Keyed to Specific Code	SV-KS
Master Keying	SV-MK
Grand Master Keying with 2 or more Master groups	SV-GMK
Construction Master Keying Service	SV-CMK

THIN DOOR KITS


Illustration	Thin Door Kits	Item Code
	1-3/8" Door Thickness for RD deadbolt	ECIXR20-32D ECIXR20-32 ECIXR20-10B
	1-3/8" Door Thickness for SD deadbolt	ECIXS40-32D ECIXS40-32 ECIXS40-10B
	1-3/8" Door Thickness for GD deadbolt	ECIXG20-32D ECIXG20-32 ECIXG20-10B
	1-3/8" Door Thickness for HD deadbolt	ECIXH40-32D ECIXH40-32 ECIXH40-10B
	1-3/8" Door Thickness for CD deadbolt	ECIXC20-32D ECIXC20-32 ECIXC20-10B
	1-3/8" Door Thickness for LD deadbolt	ECIXL40-32D ECIXL40-32 ECIXL40-10B

RIM CYLINDERS


Schlage C Keyway, 5 Pin, with Tailpiece, 2 Keys.
 Standard Keyed Different (KD).
 Other Keying Services Available.



CRB105
 Single Cylinder




CRB105F & CRB105HF
 Double Cylinder



CRA10D
 Dummy Cylinder




EC-R460COL
 Cylinder Escutcheon



TT04
 Thumb-turn


EXPLODED DIAGRAMS

RA PASSAGE




- | | |
|--------------------------------------|------------------------------------|
| 1. Outside Rose Cover | 9. Inside Lever |
| 2. Outside Lever | 10. Inside Rose Cover |
| 3. Outside Sub-rose
w/Bolt Sleeve | 11. Thru-Bolts |
| 4. Outside Latch Bracket | 12. Set Screw for Lever |
| 5. Spindle 8mm Square | 13. Tubular Latch Faceplate |
| 6. Tubular Latch-TL4 Passage | 14. Tubular Latch Faceplate Screws |
| 7. Inside Latch Bracket | 15. Tubular Latch Strike Screws |
| 8. Inside Sub-rose | 16. Tubular Latch Strike |
| | 17. Tubular Latch Dust Box |

RA PRIVACY




- | | |
|--------------------------------------|------------------------------------|
| 1. Outside Rose Cover | 10. Inside Rose Cover |
| 2. Outside Lever | 11. Privacy Pin |
| 3. Outside Sub-rose
w/Bolt Sleeve | 12. Thru-bolts |
| 4. Outside Latch Bracket | 13. Set Screw for Lever |
| 5. Spindle 8mm Square | 14. Tubular Latch Faceplate |
| 6. Tubular Latch-TL4 Privacy | 15. Tubular Latch Faceplate Screws |
| 7. Inside Latch Bracket | 16. Tubular Latch Strike Screws |
| 8. Inside Sub-rose | 17. Tubular Latch Strike |
| 9. Inside Lever | 18. Tubular Latch Dust Box |

RA HALF DUMMY



1. Dummy Spindle
2. Wood Screws
3. Sub-rose
4. Lever
5. Rose Cover
6. Wood Screws
7. Set Screw for Lever


RA HALF PASSAGE



- | | |
|------------------------------|------------------------------------|
| 1. Inside Blind Rose Cover | 9. Outside Lever |
| 2. Thru-bolts | 10. Outside Rose Cover |
| 3. Inside Sub-rose | 11. Set Screw for Lever |
| 4. Inside Latch Bracket | 12. Tubular Latch Faceplate |
| 5. Tubular Latch-TL4 Passage | 13. Tubular Latch Faceplate Screws |
| 6. Spindle 8mm Square | 14. Tubular Latch Strike Screws |
| 7. Outside Latch Bracket | 15. Tubular Latch Strike |
| 8. Outside Sub-rose | 16. Tubular Latch Dust Box |


EXPLODED DIAGRAMS

GT PASSAGE




- | | |
|------------------------------|------------------------------------|
| 1. Inside Rose Cover | 9. Set Screw for Lever |
| 2. Inside Lever | 10. Tubular Latch Faceplate |
| 3. Inside Sub-rose | 11. Tubular Latch Faceplate Screws |
| 4. Tubular Latch-TL4 Passage | 12. Tubular Latch Strike Screws |
| 5. Spindle 8mm Square | 13. Tubular Latch Strike |
| 6. Outside Lever | 14. Tubular Latch Dust Box |
| 7. Outside Rose Cover | 15. Thru-Bolts |
| 8. Bolt Sleeves | |

GT PRIVACY




- | | |
|------------------------------|------------------------------------|
| 1. Inside Rose Cover | 10. Tubular Latch Faceplate |
| 2. Inside Lever | 11. Tubular Latch Faceplate Screws |
| 3. Inside Sub-rose | 12. Tubular Latch Strike Screws |
| 4. Tubular Latch-TL4 Privacy | 13. Tubular Latch Strike |
| 5. Spindle 8mm Square | 14. Tubular Latch Dust Box |
| 6. Outside Lever | 15. Thru-Bolts |
| 7. Outside Rose Cover | 16. Privacy Pin |
| 8. Bolt Sleeves | |
| 9. Set Screw for Lever | |

GT HALF DUMMY



- | |
|------------------------|
| 1. Rose Cover |
| 2. Wood Screws |
| 3. Lever |
| 4. Sub rose |
| 5. Set screw for lever |


GT HALF PASSAGE



- | | |
|------------------------------|------------------------------------|
| 1. Outside Rose Cover | 9. Inside Blind Rose Cover |
| 2. Bolt Sleeves | 10. Tubular Latch Faceplate |
| 3. Outside Lever | 11. Tubular Latch Faceplate Screws |
| 4. Outside Sub-rose | 12. Tubular Latch Strike Screws |
| 5. Spindle 8mm Square | 13. Tubular Latch Dust Box |
| 6. Tubular Latch-TL4 Passage | 14. Tubular Latch Strike |
| 7. Inside Sub-rose | 15. Set Screw for Lever |
| 8. Thru-bolts | |


EXPLODED DIAGRAMS

GT PRIVACY BOLT



1. Inside Thumbturn
2. Thumb-turn Washer
3. Inside Thumb-turn Rose
4. Thru-Bolts
5. Inside Thumb-turn Sub-rose
6. Privacy Bolt
7. Privacy Release Sub-rose
8. Bolt Sleeves
9. Privacy Rose Cover
10. Privacy Bolt Faceplate
11. Privacy Bolt Faceplate Screws
12. Privacy Bolt Strike Screws
13. Privacy Bolt Strike
14. Privacy Bolt Dust Box
15. Set Screw for Thumb-turn


GR PRIVACY BOLT



1. Thumbturn
2. Privacy Rose Cover
3. Wood Screws
4. Inside Less Cover
5. Privacy Bolt
6. Outside Sub Cover with release
7. Outside Rose Cover
8. Privacy Bolt Dust Box
9. Privacy Bolt Strike
10. Privacy Bolt Strike Screws
11. Privacy Bolt Faceplate Screws
12. Faceplate of Privacy Bolt
13. Thumb-turn Washer
14. Set Screw for Thumb-turn


EXPLODED DIAGRAMS

LA PASSAGE




- | | |
|------------------------------|------------------------------------|
| 1. Outside Lever | 9. Wood Screws |
| 2. Bolt Sleeves | 10. Inside Cover Plate |
| 3. Outside Cover Plate | 11. Tubular Latch Dust Box |
| 4. Outside Sub-plate | 12. Tubular Latch Strike |
| 5. Tubular Latch-TL4 Passage | 13. Tubular Latch Strike Screws |
| 6. Lever Spindle 8mm Square | 14. Tubular Latch Faceplate Screws |
| 7. Inside Sub-plate | 15. Tubular Latch Faceplate |
| 8. Thru-Bolts | 16. Set Screw for Lever |

LA PRIVACY




- | | |
|------------------------------|------------------------------------|
| 1. Inside Lever | 10. Tubular Latch Dust Box |
| 2. Inside Cover Plate | 11. Tubular Latch Strike |
| 3. Inside Sub-plate | 12. Tubular Latch Strike Screws |
| 4. Tubular Latch-TL4 Privacy | 13. Tubular Latch Faceplate Screws |
| 5. Lever Spindle 8mm Square | 14. Tubular Latch Faceplate |
| 6. Outside Sub-plate | 15. Set Screw for Lever |
| 7. Wood Screws | 16. Thru-Bolts |
| 8. Outside Cover Plate | 17. Privacy Pin |
| 9. Bolt Sleeves | |

LA DUMMY



- | |
|------------------------|
| 1. Outside Lever |
| 2. Outside Cover Plate |
| 3. Outside Sub-plate |
| 4. Inside Sub-plate |
| 5. Wood Screws |
| 6. Inside Cover Plate |
| 7. Set Screw for Lever |


LA PASSAGE WITH PRIVACY BOLT



- | | |
|--------------------------------------|------------------------------------|
| 1. Outside Lever | 13. Privacy Bolt Faceplate Screws |
| 2. Outside Cover Plate With Sub-rose | 14. Privacy Bolt Strike Screws |
| 3. Tubular Latch-TL4 Passage | 15. Privacy Bolt Strike |
| 4. Privacy Bolt | 16. Privacy Bolt Dust box |
| 5. Lever Spindle 8mm Square | 17. Tubular Latch Dust Box |
| 6. Inside Lever | 18. Tubular Latch Strike |
| 7. Inside Sub-plate | 19. Tubular Latch Strike Screws |
| 8. Thru-Bolts for Sub-plate | 20. Tubular Latch Faceplate Screws |
| 9. Inside Cover Plate | 21. Faceplate of Privacy Bolt |
| 10. Thumbturn Washer | 22. Faceplate of Tubular Latch |
| 11. Thumbturn | 23. Set Screw for Lever |
| 12. Set Screw for Thumbturn | |


EXPLODED DIAGRAMS

LA ENTRY WITH SINGLE CYLINDER




- | | |
|--------------------------------------|---|
| 1. Keys | 17. Deadbolt Strike Screws |
| 2. Outside Rim Cylinder w/ Tailpiece | 18. Deadbolt Strike |
| 3. Outside Cover Plate | 19. Deadbolt Dust Box |
| 4. Outside Cylinder Escutcheon | 20. Deadbolt Reinforcement Plate Screws |
| 5. Outside Sub-plate | 21. Deadbolt Reinforcement Plate |
| 6. Tubular Latch—TL4 Passage | 22. Tubular Latch Dust Box |
| 7. Deadbolt | 23. Tubular Latch Strike |
| 8. Inside Sub-plate | 24. Tubular Latch Strike Screws |
| 9. Cylinder Thru-bolts | 25. Tubular Latch Faceplate Screws |
| 10. Inside Cover Plate | 26. Tubular Latch Faceplate |
| 11. Thumbturn Washer | 27. Lever Spindle 8mm Square |
| 12. Thumbturn | 28. Set Screw for Lever |
| 13. Set Screw for Thumbturn | 29. Bolt Sleeves |
| 14. Deadbolt Faceplate | 30. Outside Lever |
| 15. Thru-bolts | |
| 16. Deadbolt Faceplate Screws | |

LA ENTRY WITH DOUBLE CYLINDER




- | | |
|--------------------------------------|---|
| 1. Keys | 16. Deadbolt Strike Screws |
| 2. Outside Rim Cylinder w/ Tailpiece | 17. Deadbolt Strike |
| 3. Outside Cover Plate | 18. Deadbolt Dust Box |
| 4. Outside Cylinder Escutcheon | 19. Deadbolt Reinforcement Plate Screws |
| 5. Outside Sub-plate | 20. Deadbolt Reinforcement Plate |
| 6. Tubular Latch—TL4 Passage | 21. Tubular Latch Dust Box |
| 7. Deadbolt | 22. Tubular Latch Strike |
| 8. Inside Sub-plate | 23. Tubular Latch Strike Screws |
| 9. Inside Cover Plate | 24. Tubular Latch Faceplate Screws |
| 10. Inside Cylinder Escutcheon | 25. Tubular Latch Faceplate |
| 11. Inside Rim Cylinder w/Tailpiece | 26. Lever Spindle 8mm Square |
| 12. Cylinder Thru-bolts | 27. Set Screw for Lever |
| 13. Deadbolt Faceplate | 28. Bolt Sleeves |
| 14. Thru-bolts | 29. Outside Lever |
| 15. Deadbolt Faceplate Screws | |

LA DUMMY ENTRY



- | | |
|--------------------------------|-------------------------|
| 1. Outside Lever | 6. Inside Sub-plate |
| 2. Outside Blind Cylinder | 7. Cylinder Thru-bolts |
| 3. Outside Cover Plate | 8. Wood Screws |
| 4. Outside Cylinder Escutcheon | 9. Inside Cover Plate |
| 5. Outside Sub-plate | 10. Set Screw for Lever |


LA DUMMY PAIR



- | | |
|------------------------|------------------------|
| 1. Outside Lever | 6. Inside Cover Plate |
| 2. Outside Cover Plate | 7. Set Screw for Lever |
| 3. Outside Sub-plate | |
| 4. Inside Sub-plate | |
| 5. Wood Screws | |


EXPLODED DIAGRAMS

RD SINGLE CYLINDER DEADBOLT




- | | |
|-------------------------------------|---|
| 1. Thumbturn | 10. Deadbolt Faceplate |
| 2. Thumbturn Washer | 11. Deadbolt Faceplate Screws |
| 3. Inside Escutcheon Cover | 12. Deadbolt Strike Screws |
| 4. Cylinder Thru-bolts | 13. Deadbolt Strike |
| 5. Inside Escutcheon | 14. Deadbolt Dust Box |
| 6. Deadbolt | 15. Deadbolt Reinforcement Plate Screws |
| 7. Outside Escutcheon | 16. Deadbolt Reinforcement Plate |
| 8. Outside Rim Cylinder w/Tailpiece | 17. Thumb-turn Set Screw |
| 9. Keys | |

RD DOUBLE CYLINDER DEADBOLT



- | | |
|--|---|
| 1. Keys | 8. Deadbolt Faceplate |
| 2. Outside Rim Cylinder w/Folk Tailpiece | 9. Deadbolt Faceplate Screws |
| 3. Outside Escutcheon | 10. Deadbolt Strike Screws |
| 4. Deadbolt | 11. Deadbolt Strike |
| 5. Inside Escutcheon | 12. Deadbolt Dust Box |
| 6. Inside Cylinder w/Folk Tailpiece | 13. Deadbolt Reinforcement Plate Screws |
| 7. Cylinder Thru-bolts | 14. Deadbolt Reinforcement Plate |


RD COMMUNICATING DEADBOLT



- | | |
|----------------------------|---|
| 1. Outside Blind Rose | 10. Thumbturn Set Screw |
| 2. Deadbolt | 11. Deadbolt Faceplate |
| 3. Tailpiece | 12. Deadbolt Faceplate Screws |
| 4. Escutcheon | 13. Deadbolt Strike Screws |
| 5. Thumb-turn Shaft | 14. Deadbolt Strike |
| 6. Thru-bolts | 15. Deadbolt Dust Box |
| 7. Inside Escutcheon Cover | 16. Deadbolt Reinforcement Plate Screws |
| 8. Thumbturn Washer | 17. Deadbolt Reinforcement Plate |
| 9. Thumbturn | |


EXPLODED DIAGRAMS

GD SINGLE CYLINDER DEADBOLT




- | | |
|-------------------------------------|---|
| 1. Thumbturn | 10. Deadbolt Faceplate |
| 2. Thumbturn Washer | 11. Deadbolt Faceplate Screws |
| 3. Inside Escutcheon Cover | 12. Deadbolt Strike Screws |
| 4. Cylinder Thru-bolts | 13. Deadbolt Strike |
| 5. Inside Escutcheon | 14. Deadbolt Dust Box |
| 6. Deadbolt | 15. Deadbolt Reinforcement Plate Screws |
| 7. Outside Escutcheon | 16. Deadbolt Reinforcement Plate |
| 8. Outside Rim Cylinder w/Tailpiece | 17. Thumb-turn Set Screw |
| 9. Keys | |

GD DOUBLE CYLINDER DEADBOLT



- | | |
|--|---|
| 1. Keys | 8. Deadbolt Faceplate |
| 2. Outside Rim Cylinder w/Folk Tailpiece | 9. Deadbolt Faceplate Screws |
| 3. Outside Escutcheon | 10. Deadbolt Strike Screws |
| 4. Deadbolt | 11. Deadbolt Strike |
| 5. Inside Escutcheon | 12. Deadbolt Dust Box |
| 6. Inside Cylinder w/Folk Tailpiece | 13. Deadbolt Reinforcement Plate Screws |
| 7. Cylinder Thru-bolts | 14. Deadbolt Reinforcement Plate |


GD COMMUNICATING DEADBOLT



- | | |
|----------------------------|---|
| 1. Outside Blind Rose | 10. Thumb-turn Set Screw |
| 2. Deadbolt | 11. Deadbolt Faceplate |
| 3. Tailpiece | 12. Deadbolt Faceplate Screws |
| 4. Escutcheon | 13. Deadbolt Strike Screws |
| 5. Thumb-turn Shaft | 14. Deadbolt Strike |
| 6. Thru-bolts | 15. Deadbolt Dust Box |
| 7. Inside Escutcheon Cover | 16. Deadbolt Reinforcement Plate Screws |
| 8. Thumb-turn Washer | 17. Deadbolt Reinforcement Plate |
| 9. Thumb-turn | |


EXPLODED DIAGRAMS

CD SINGLE CYLINDER DEADBOLT




- | | |
|-------------------------------------|---|
| 1. Thumbturn | 10. Deadbolt Faceplate |
| 2. Thumbturn Washer | 11. Deadbolt Faceplate Screws |
| 3. Inside Escutcheon Cover | 12. Deadbolt Strike Screws |
| 4. Cylinder Thru-bolts | 13. Deadbolt Strike |
| 5. Inside Escutcheon | 14. Deadbolt Dust Box |
| 6. Deadbolt | 15. Deadbolt Reinforcement Plate Screws |
| 7. Outside Escutcheon | 16. Deadbolt Reinforcement Plate |
| 8. Outside Rim Cylinder w/Tailpiece | 17. Thumb-turn Set Screw |
| 9. Keys | |

CD DOUBLE CYLINDER DEADBOLT



- | | |
|--|---|
| 1. Keys | 8. Deadbolt Faceplate |
| 2. Outside Rim Cylinder w/Folk Tailpiece | 9. Deadbolt Faceplate Screws |
| 3. Outside Escutcheon | 10. Deadbolt Strike Screws |
| 4. Deadbolt | 11. Deadbolt Strike |
| 5. Inside Escutcheon | 12. Deadbolt Dust Box |
| 6. Inside Cylinder w/Folk Tailpiece | 13. Deadbolt Reinforcement Plate Screws |
| 7. Cylinder Thru-bolts | 14. Deadbolt Reinforcement Plate |

CD COMMUNICATING DEADBOLT




- | | |
|----------------------------|---|
| 1. Outside Blind Rose | 10. Thumb-turn Set Screw |
| 2. Deadbolt | 11. Deadbolt Faceplate |
| 3. Tailpiece | 12. Deadbolt Faceplate Screws |
| 4. Escutcheon | 13. Deadbolt Strike Screws |
| 5. Thumb-turn Shaft | 14. Deadbolt Strike |
| 6. Thru-bolts | 15. Deadbolt Dust Box |
| 7. Inside Escutcheon Cover | 16. Deadbolt Reinforcement Plate Screws |
| 8. Thumb-turn Washer | 17. Deadbolt Reinforcement Plate |
| 9. Thumb-turn | |

Tubular Locksets HOW TO ORDER

PRODUCT IDENTIFICATION

SF 105 L61 - 32D - LH



Deadbolt HOW TO ORDER

PRODUCT IDENTIFICATION

RD 120 B6 - 32D

FINISH:

- 32D= Satin Stainless Steel
- 32= Polished Stainless Steel
- 10B= Oil Rubbed Bronze on Stainless Steel

BACKSET:


- B6 = 2-3/8" Backset
- B7 = 2-3/4" Backset


FUNCTION:

- 110 = Single Cylinder Deadbolt for RD/GD/CD
- 120 = Double Cylinder Deadbolt for RD/GD/CD
- 192 = Communicating Deadbolt for RD/GD/CD
- 310 = Single Cylinder Deadbolt for SD/HD/LD
- 320 = Double Cylinder Deadbolt for SD/HD/LD
- 392 = Communicating Deadbolt for SD/HD/LD

DEADBOLT ESCUTCHEONS:

- RD = 2-3/8" (60mm) Round Solid Casted Stainless Steel Escutcheon
- SD = 2-3/8" (60mm) Square Solid Casted Stainless Steel Escutcheon
- GD = 2-1/16" (53mm) Round Solid Casted Stainless Steel Escutcheon
- HD = 2-1/16" (53mm) Square Solid Casted Stainless Steel Escutcheon
- CD = 2-1/2" (63mm) Round Stainless Steel Escutcheon
- LD = 2-3/8" (60mm) Square Stainless Steel Escutcheon





Please visit our website
<http://www.inoxproducts.com>
for more technical and new product information.

Unison Hardware, Inc.
6 Wayne Court, Sacramento, CA 95829, USA Tel: +1.916.388.1888 Fax: +1.916.388.8322
Email: info@unisonhardware.com